



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D6101-005

Job Sheet 173748



5059502

Part No: D6101-005

Job Qty: 40 ea

Part Name: Saddle Billet



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 3/6/18

Job Tracking No:

Due Date: 3/29/18

Created By: Chantal Lavoie

Type: Stock

Description:

Note: DWG REV B

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	40 pcs		3/29/18	0.00	0.00	Purchasing		D/L
110	Packaging	40 pcs		3/29/18	0.00	0.00	Packaging2		APR 10 2018
120	QC	40 pcs		3/29/18	0.00	0.00	QC6		APR 10 2018
130	Packaging	40 pcs		3/29/18	0.00	0.00	Packaging3-2		APR 10 2018
140	QC21-SA	40 Ea		3/29/18	0.00	0.00	QC21		SB 2-89 18/04/17

Part Op 100 - Issue P/O: 039228 b) 5.00" x 8.250" x 2.50" thick d) Grain direction along 5.00" length

Descriptions: 110 - Ensure material certification is attached

120 - Ensure Material certification comply to Dwg D6101

130 - LOCATION: MAT041

MAR 06 2018

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-005P	7075-T7351 8.25X5.0X2.5	40 pcs (1 ea)	100-Purchasing	

Job Allocations


Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	D6101-005P	40	0	0

Part Specifications

Specifications could not be found.

Plex 3/6/18 2:19 PM dart.lavoie.chantal

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

RELEASED
09/07/15/WP

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 06101-005
DATE: APR 10 2018

PO / BATCH NO.: 039228/3059471

MATERIAL CERT REC'D: Yes
QUANTITY RECEIVED: 20 pcs
QUANTITY INSPECTED: 20 pcs
QUANTITY REJECTED: 0

THICKNESS ORDERED: 2.500
THICKNESS RECEIVED: 2.500
SHEET SIZE ORDERED: N/A
SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y ☒ N	
CORRECT FINISH	☒ Y ☒ N	
CORROSION	Y ☒ N	
CORRECT GRAIN DIRECTION	☒ Y ☒ N	
CORRECT MATERIAL PER M-DRAWING	☒ Y ☒ N	QQ-A-250/12
CORRECT THICKNESS	☒ Y ☒ N	
PHOTO REQUIRED	Y ☒ N	
CORRECT REF # TO LINK CERT	☒ Y ☒ N	Heat # 9411475
CORRECT MATERIAL IDENTIFICATION	☒ Y ☒ N	
CORRECT M# ON THE MATERIAL	☒ Y ☒ N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y ☒ N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y ☒ N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-8 APR 10 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3561461

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 06-APR-18		F.O.B. ORIGIN		Freight Terms Prepaid		Carrier MANITOULIN	
						BOL No 3561461-2	

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No 5084303	Line No 1	Item No 752241.MO	Description 2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 8.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) X 5 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No 39228		Part Number YOUR ITEM NUMBER: D6101-005		Ordered Qty 20.00 PCS		Invoice Qty 20.00 PCS	
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No. 121725830	Mill/Source CONSTELLIUM ROLLED PRODUCTS	Heat Number 	Mech Id	PCS 20	Width (IN)	Length (IN)	Shipped Qty(LBS) 213.3121

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Date Printed: 06-APR-2018 03:04:07 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

APR 06 2018





Constellium Rolled Products
Ravenswood, LLC

S
H
I
P

T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D

T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110626794		4776		INCLUSION		Serial:20180219-0110626794		Pg 1of2	
CUSTOMER PURCHASE ORDER NO. & ITEM 453752						Constellium ORDER NO. 232823					
ALLOY 7075	CLAD	TEMPER T7351	GAUGE 2.50000 in 63.50 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm						
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4078J											
PART NUMBER 752241				B/L NUMBER 95019		DATE SHIPPED 02/19/2018					
WT. SHIPPED 7140.000 LB			NO. OF PIECES 000004		GOVT. CONTRACT NO.						
										CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager	

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

ASTM B594 REV 13 2013 100% SONIC W/ 0.125"DEADZONE Class A
AMS QQ-A-250/12A
AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
ASTM B209-14
BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
CMMP025 REV U
CSTI006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
GAMPS 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
MMS 159T
PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

Load Details

Package	Net Lbs	Kg	Lot	Piece	Serial	Parent Lot
1001713156	1,785.000	809.662	9411475	01		
1001713156	1,785.000	809.662	9411475	02		
1001713157	1,785.000	809.662	9411475	03		
1001713157	1,785.000	809.662	9411475	04		

Lot: 9411475 (See test results below)

Tensile - Room Temperature (US)

		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	74.0	74.1	63.1	63.1	12.0	12.0	



S
H
I
P

T
O

 A M CASTLE CO
 3050 SO HYDRAULIC
 WICHITA KS
 67216
 US

 S
O
L
D

T
O

 A M CASTLE
 1420 KENSINGTON ROAD, SUITE 220
 OAK BROOK IL
 60523
 US

A M CASTLE 110626794 4776 INCLUSION Serial:20180219-0110626794 Pg 2of2

CUSTOMER PURCHASE ORDER NO. & ITEM 453752				Constellium ORDER NO. 232823		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Dave Dunbarger - Laboratory Manager	
ALLOY 7075	CLAD	TEMPER T7351	GAUGE 2.50000 in 63.50 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH							
CUSTOMER SPECIFICATION AMS 4078J							
PART NUMBER 752241			B/L NUMBER 95019		DATE SHIPPED 02/19/2018		
WT. SHIPPED 7140.000 LB		NO. OF PIECES 000004		GOVT. CONTRACT NO.			

Tensile - Room Temperature (St)							
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)	
Direction	Tests	Min	Max	Min	Max	Min	Max
LT	02	510	511	435	435	12.0	12.0

Conductivity % IACS MIN 40.0 MAX 40.2 % MS/M MIN 23.2 MAX 23.3

Chemistry (Actual)									
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.06	0.13	1.45	0.05	2.58	0.21	5.63	0.04	0.00

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

 QUALITY TEXTS:
 AMC CA-15413B R 6

THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CHEMISTRY BY OES: ARKSPARK

CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT

WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399

WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557

DUNS Number: 090570149; CAGE Code: 1YW19

Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product.

"END OF CERTIFICATION"

